Notice of Allowability	Application No.	Applicant(s)
	09/975,276	CHORNENKY, T. ERIC
	Examiner	Art Unit
	Nam V. Nguyen	2635
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 4/14/05.		
2. The allowed claim(s) is/are <u>2-6,8-18,20-23,27-31 and 33-45.</u>		
3. ☑ The drawings filed on 14 April 2005 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendn	e

EXAMINER'S AMENDMENT

Authorization for this examiner's amendment was given in a telephone interview with James O. Ray (Reg. 27,666) on April 28, 2005.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The claims have been amended as follows:

Referring to claim 36, line 10, replace "validator controller including;" to "validator controller including:"

Referring to claim 39, line 9, replace "controller including," to "controller including."

The Specification have been amended as follows:

Please replace paragraph number (0053) on pages 15 and 16 with the amended paragraph as follows:

[0053] The data transmitter 14 can be configured to receive and transmit signals not only to a validator controller 12 above the nail 24 or at a significant distance from the nail 24, but also to a validator controller 12 underneath the finger or using the finger flesh property as a light or electromagnetic energy conducting conduit. A good application of this would be used with push-

Art Unit: 2635

button switches which would have a validator controller built into them or connected to them via a fiber-optic link allowing the smart switch to verify the identification of the user and his validity before allowing the switch to perform the requested action. A fingerprint reader on switches would be too slow, large, unreliable and costly to implement efficiently.

Allowable Subject Matter

This communication is in response to applicant's Amendment which is filed April 14, 2005 in the application of Chornenky for a "human machine interface" filed October 10, 2001.

The proposed amendment has been entered and made of record. Claims 19, 33, 35-36, 38-39 have been amended to more particularly point out and distinctly claim the invention.

Claim 19 is cancelled.

Applicant's amendment with respect to the pending Claims 33, 35-36, 38-39, filed April 14, 2005, places the application in condition for allowance.

Claims 2-6, 8-18, 20-23, 27-31 and 33-45 are allowed as evident by applicant's amendments.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue Application/Control Number: 09/975,276

Art Unit: 2635

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Nam V Nguyen whose telephone number is 571-272-3061. The

examiner can normally be reached on Mon-Fri, 8:00AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Michael Horabik can be reached on 571-272-3068. The fax phone numbers for the

organization where this application or proceeding is assigned are 703-872-9314 for regular

communications and 703-872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is 571-272-2600.

Nam Nguyen

April 28, 2005

MICHAEL HORABIK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

mandoplant

Page 4